ELSEVIER

Neuroscience Letters 315 (2001) 167–169

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 315

Abbate, R., see Brunelli, T., 103
Adamec, E., Chang, H.T., Stopa, E.G., Hedreen, J.C., Vonsattel, J.P., Tau protein expression in frontotemporal dementias, 21
Ariza, A., see Beyer, K., 17

Baba, H., see Qi, S., 133
Bagnoli, S., see Brunelli, T., 103
Bähr, M., see Kermer, P., 117
Bao, X., Hui, D., Näassila, M., Michaelis, E.K., Chronic ethanol exposure increases gene transcription of subunits of an *N*-methyl-D-aspartate receptor-like complex in cortical neurons in culture, 5
Barber, C., see Wang, L., 13
Barthelemy, S., Boulinguez, P., Manual reaction time asymmetries in human subjects: the role of movement planning and attention, 41
Beyer, K., Lao, J.I., Gómez, M., Riutort, N., Latorre, P., Mate, J.L., Ariza, A., Alzheimer's disease and the cystatin C gene polymorphism: an association study, 17
Biervert, C., Horvath, E., Fahrig, T., Semiquantitative expression analysis of ephrine-receptor tyrosine kinase mRNA's in a rat model of traumatic brain injury, 25
Borchelt, D.R., see Schilling, G., 149
Boulinguez, P., see Barthelemy, S., 41
Bourre, J.M., see Francès, H., 164
Brooke, S., see Hairston, I.S., 29
Brunelli, T., Bagnoli, S., Giusti, B., Nacmias, B., Pepe, G., Sorbi, S., Abbate, R., The C677T methylenetetrahydrofolate reductase mutation is not associated with Alzheimer's disease, 103

Chang, H.T., see Adamec, E., 21
Chen, C.-J., see Raung, S.-L., 9
Chen, P., see Li, J.-L., 93
Chieffi Baccari, G., see Monteforte, R., 77
Chueh, F.-Y., see Lin, M.-T., 53
Cimarosti, H., Rodnight, R., Tavares, A., Paiva, R., Valentim, L., Rocha, E., Salbego, C., An investigation of the neuroprotective effect of lithium in organotypic slice cultures of rat hippocampus exposed to oxygen and glucose deprivation, 33
Cissé, M., see Karege, F., 89
Coonfield, M.L., see Schilling, G., 149
Cota, G., see López-Santiago, L.F., 137
de Lima, A.D., see Wilhelmi, E., 121

De Santis, A., see Monteforte, R., 77
Denning, D.P., see Hairston, I.S., 29
Dillen, L., see Vandermeeren, M., 145
Dodel, R., see Lin, S., 61
Donaldson, G.B., Magnetoencephalography and stereopsis: rhythmic cortical activity in humans recorded over the parieto-occipital cortex, 154
Donaldson, G.B., see Shahani, U., 154
Du, Y., see Lin, S., 61

Edoff, K., Granseth, B., Neuropeptide content and physiological properties of rat cartilage-projecting sensory neurones co-cultured with perichondrial cells, 141

Fahrig, T., see Biervert, C., 25
Farlow, M.R., see Lin, S., 61
Forster, C., see Kemppainen, P., 109
Francès, H., Tebbakha, M.R., Bourre, J.M., Learning and latent inhibition in old mice, 164
Fujihara, H., see Qi, S., 133
Fujimoto, S., see Shimohama, S., 125

Gardi, J., Szentirmai, E., Hajdu, I., Obal Jr., F., Krueger, J.M., The somatostatin analog, octreotide, causes accumulation of growth hormone-releasing hormone and depletion of angiotensin in the rat hypothalamus, 37
Geraerts, M., see Vandermeeren, M., 145
Giusti, B., see Brunelli, T., 103
Gómez, M., see Beyer, K., 17
Gómora, J.C., see López-Santiago, L.F., 137
Granseth, B., see Edoff, K., 141

Hairston, I.S., Ruby, N.F., Brooke, S., Peyron, C., Denning, D.P., Heller, H.C., Sapolsky, R.M., Sleep deprivation elevates plasma corticosterone levels in neonatal rats, 29
Hajdu, I., see Gardi, J., 37
Halliday, D.M., see Shahani, U., 154
Handwerker, H.O., see Kemppainen, P., 109
Hedreen, J.C., see Adamec, E., 21
Heimann, A., see Tuettenberg, J., 65
Heller, H.C., see Hairston, I.S., 29
Hori, K., see Izaki, Y., 129
Horvath, E., see Biervert, C., 25
Hsieh, M.-T., see Lin, M.-T., 53
Hui, D., see Bao, X., 5

Ikai, T., see Yasuma, M., 106
Inoue, G., see Ohtori, S., 57
Inoue, S., see Wang, J., 49
Iwase, Y., see Yasuma, M., 106
Izaki, Y., Maruki, K., Hori, K., Nomura, M., Effects of rat medial prefrontal cortex temporal inactivation on a delayed alternation task, 129

Jeka, J.J., see Oie, K.S., 113
Jin, Z., Zang, Y.F., Zeng, Y.W., Zhang, L., Wang, Y.F., Striatal neuronal loss or dysfunction and choline rise in children with attention-deficit hyperactivity disorder: a ^{1}H-magnetic resonance spectroscopy study, 45

PII: S0304-3940(01)02450-8

Kakigi, R., see Wang, L., 13
Kaneko, T., see Li, J.-L., 93
Kaneoke, Y., see Wang, L., 13
Karege, F., Lambercy, C., Schwald, M., Steimer, T., Cissé, M., Differential changes of cAMP-dependent protein kinase activity and ^{3}H-cAMP binding sites in rat hippocampus during maturation and aging, 89
Kemppainen, P., Forster, C., Koppert, W., Handwerker, H.O., Blood flow increase in the human lip after high-intensity tooth stimulation is not based on cholinergic mechanisms, 109
Kempski, O., see Tuettenberg, J., 65
Kermer, P., Klöcker, N., Bähr, M., Modulation of metabotropic glutamate receptors fails to prevent the loss of adult rat retinal ganglion cells following axotomy or *N*-methyl-D-aspartate lesion in vivo, 117
Kiemel, T., see Oie, K.S., 113
Klöcker, N., see Kermer, P., 117
Kokaia, M., see Kokaia, Z., 85
Kokaia, Z., Kokaia, M., Changes in $GABA_B$ receptor immunoreactivity after recurrent seizures in rats, 85
Koppert, W., see Kemppainen, P., 109
Krueger, J.M., see Gardi, J., 37
Kulik, A., see Li, J.-L., 93
Kuo, M.-D., see Raung, S.-L., 9
Kurosawa, H., see Yasuma, M., 106
Kwak, J.-Y., see Lee, M.-J., 159

Lambercy, C., see Karege, F., 89
Lang, G., see Shahani, U., 154
Lao, J.I., see Beyer, K., 17
Latorre, P., see Beyer, K., 17
Lee, M.-J., Oh, J.-Y., Park, H.-T., Uhlinger, D.J., Kwak, J.-Y., Enhancement of phospholipase D activity by overexpression of amyloid precursor protein in P19 mouse embryonic carcinoma cells, 159
Li, J.-L., Shigemoto, R., Kulik, A., Chen, P., Nomura, S., Kaneko, T., Mizuno, N., Immunocytochemical localization of $GABA_B$ receptors in mesencephalic trigeminal nucleus neurons in the rat, 93
Lin, M.-T., Chueh, F.-Y., Hsieh, M.-T., The hypothermic effects of dl-tetrahydropalmatine in rats, 53
Lin, S., Zhang, Y., Dodel, R., Farlow, M.R., Paul, S.M., Du, Y., Minocycline blocks nitric oxide-induced neurotoxicity by inhibition p38 MAP kinase in rat cerebellar granule neurons, 61
Linke, R., see Wilhelmi, E., 121
Liu, X.-G., see Zhang, H.-M., 81
López-Santiago, L.F., Gómora, J.C., Cota, G., Postnatal decrease of sodium current density in rat pituitary melanotropes following the onset of dopaminergic innervation, 137

Maas, P., see Shahani, U., 154
Mannoji, C., see Ohtori, S., 57
Mansfield, D.C., see Shahani, U., 154
Maruki, K., see Izaki, Y., 129
Mashiko, T., see Yasuma, M., 106
Mate, J.L., see Beyer, K., 17
Mercken, M., see Vandermeeren, M., 145
Michaelis, E.K., see Bao, X., 5
Mitsuhashi, S., see Ohtori, S., 57
Mizuno, N., see Li, J.-L., 93
Monteforte, R., De Santis, A., Chieffi Baccari, G., Morphological changes in frog mast cells induced by nerve stimulation in vivo, 77
Moriya, H., see Ohtori, S., 57
Mozrzymas, J.W., see Żarnowska, E.D., 1

Näassila, M., see Bao, X., 5
Nacmias, B., see Brunelli, T., 103
Nomura, M., see Izaki, Y., 129
Nomura, S., see Li, J.-L., 93
Nozawa, M., see Yasuma, M., 106

Obal Jr., F., see Gardi, J., 37
Oh, J.-Y., see Lee, M.-J., 159
Ohtori, S., Inoue, G., Mannoji, C., Saisu, T., Takahashi, K., Mitsuhashi, S., Wada, Y., Takahashi, K., Yamagata, M., Moriya, H., Shock wave application to rat skin induces degeneration and reinnervation of sensory nerve fibres, 57
Oie, K.S., Kiemel, T., Jeka, J.J., Human multisensory fusion of vision and touch: detecting non-linearity with small changes in the sensory environment, 113
Okusa, T., see Wang, L., 13
Osaka, T., see Wang, J., 49

Paiva, R., see Cimarosti, H., 33
Pape, H.-C., see Wilhelmi, E., 121
Park, H.-T., see Lee, M.-J., 159
Paul, S.M., see Lin, S., 61
Pepe, G., see Brunelli, T., 103
Peyron, C., see Hairston, I.S., 29
Pype, S., see Vandermeeren, M., 145

Qi, S., Zhan, R.-Z., Wu, C., Fujihara, H., Yamakura, T., Baba, H., Taga, K., Shimoji, K., Sublethal cerebral ischemia inhibits caspase-3 activation induced by subsequent prolonged ischemia in the C57Black/Crj6 strain mouse, 133
Qi, Y.-J., see Zhang, H.-M., 81

Raung, S.-L., Kuo, M.-D., Wang, Y.-M., Chen, C.-J., Role of reactive oxygen intermediates in Japanese encephalitis virus infection in murine neuroblastoma cells, 9
Riutort, N., see Beyer, K., 17
Rocha, E., see Cimarosti, H., 33
Rodnight, R., see Cimarosti, H., 33
Ross, C.A., see Schilling, G., 149
Ruby, N.F., see Hairston, I.S., 29

Saisu, T., see Ohtori, S., 57
Salbego, C., see Cimarosti, H., 33
Sapolsky, R.M., see Hairston, I.S., 29
Schilling, G., Coonfield, M.L., Ross, C.A., Borchelt, D.R., Coenzyme Q10 and remacemide hydrochloride ameliorate motor deficits in a Huntington's disease transgenic mouse model, 149
Schwald, M., see Karege, F., 89
Shahani, U., Lang, G., Mansfield, D.C., Halliday, D.M., Weir, A.I., Maas, P., Donaldson, G.B., Magnetoencephalography and stereopsis: rhythmic cortical activity in humans recorded over the parieto-occipital cortex, 154
Shigemoto, R., see Li, J.-L., 93
Shimogori, H., Yamashita, H., Rapid correction of vestibular imbalance by intracochlear administration of ATP in a guinea pig model of unilateral peripheral vestibular disorder, 69
Shimohama, S., Tanino, H., Fujimoto, S., Differential subcellular localization of caspase family proteins in the adult rat brain, 125
Shimoji, K., see Qi, S., 133

Sorbi, S., see Brunelli, T., 103
Steimer, T., see Karege, F., 89
Stopa, E.G., see Adamec, E., 21
Szentirmai, E., see Gardi, J., 37

Taga, K., see Qi, S., 133
Takahashi, K., see Ohtori, S., 57
Takahashi, K., see Ohtori, S., 57
Tanino, H., see Shimohama, S., 125
Tavares, A., see Cimarosti, H., 33
Tebbakha, M.R., see Francès, H., 164
Tuettenberg, J., Heimann, A., Kempski, O., Nitric oxide modulates cerebral blood flow stimulation by acetazolamide in the rat cortex: a laser Doppler scanning study, 65

Uhlinger, D.J., see Lee, M.-J., 159

Valentim, L., see Cimarosti, H., 33
Van Hove, C., see Vandermeeren, M., 145
Vandermeeren, M., Geraerts, M., Pype, S., Dillen, L., Van Hove, C., Mercken, M., The functional γ-secretase inhibitor prevents production of amyloid β 1–34 in human and murine cell lines, 145
Vonsattel, J.P., see Adamec, E., 21

Wada, Y., see Ohtori, S., 57
Wang, J., Osaka, T., Inoue, S., Energy expenditure by intracerebroventricular administration of orexin to anesthetized rats, 49
Wang, L., Barber, C., Kakigi, R., Kaneoke, Y., Okusa, T., Wen, Y., A first comparison of the human multifocal visual evoked magnetic field and visual evoked potential, 13
Wang, Y.F., see Jin, Z., 45
Wang, Y.-M., see Raung, S.-L., 9
Weir, A.I., see Shahani, U., 154
Wen, Y., see Wang, L., 13
Wilhelmi, E., Linke, R., de Lima, A.D., Pape, H.-C., Axonal connections of thalamic posterior paralaminar nuclei with amygdaloid projection neurons to the cholinergic basal forebrain in the rat, 121
Wu, C., see Qi, S., 133

Xiang, X.-Y., see Zhang, H.-M., 81

Yamagata, M., see Ohtori, S., 57
Yamakura, T., see Qi, S., 133
Yamashita, H., see Shimogori, H., 69
Yasuma, M., Mashiko, T., Iwase, Y., Ikai, T., Nozawa, M., Kurosawa, H., Visualization of signal propagation from sciatic nerve to spinal cord in canine, 106

Zang, Y.F., see Jin, Z., 45
Żarnowska, E.D., Mozrzymas, J.W., Chlorpromazine prolongs the deactivation of *N*-methyl-D-aspartate-induced currents in cultured rat hippocampal neurons, 1
Zeng, Y.W., see Jin, Z., 45
Zhan, R.-Z., see Qi, S., 133
Zhang, H.-M., Qi, Y.-J., Xiang, X.-Y., Zhang, T., Liu, X.-G., Time-dependent plasticity of synaptic transmission produced by long-term potentiation of C-fiber evoked field potentials in rat spinal dorsal horn, 81
Zhang, L., see Jin, Z., 45
Zhang, T., see Zhang, H.-M., 81
Zhang, Y., see Lin, S., 61
Zhao, H.-B., Long-term natural culture of cochlear sensory epithelia of guinea pigs, 73
Zhao, Z.-Q., see Zhou, Z.-S., 98
Zhou, Y., see Zhou, Z.-S., 98
Zhou, Y., Zhou, Z.-S., Zhao, Z.-Q., Neomycin blocks capsaicin-evoked responses in rat dorsal root ganglion neurons, 98